

Bacterial Efficacy

- ☒ Burkholderia cepacia
- ☒ Campylobacter jejuni
- ☒ Corynebacterium ammoniagenes
- ☒ E. coli O157:H7
- ☒ Enterococcus faecium
- ☒ Klebsiella pneumoniae
- ☒ Listeria monocytogenes
- ☒ Proteus mirabilis
- ☒ Pseudomonas aeruginosa
- ☒ Salmonella choleraesuis
- ☒ Salmonella typhi
- ☒ Salmonella sonnei
- ☒ Staphylococcus aureus
- ☒ Staphylococcus aureus (*Methicillin resistant-MRSA*)
- ☒ Yersinia enterocolitica

Virucidal Efficacy

- ☒ Avian influenza A/Turkey/Wisconsin
- ☒ Avian Reovirus
- ☒ Bovine Viral Diarrhea
- ☒ Canine Distemper
- ☒ Equine Arteritis Virus
- ☒ Hepatitis B Virus
- ☒ Herpes simplex Type 1
- ☒ Herpes simplex Type 2
- ☒ HIV-1 (Aids Virus)
- ☒ Infectious Bronchitis Virus
- ☒ Infectious Bovine Rhinotracheitis Virus (IBR)
- ☒ Infectious Laryngotracheitis virus
- ☒ Influenza A2/Japan
- ☒ Newcastle disease virus
- ☒ Porcine Respiratory & Reproductive Virus (PRRSV)
- ☒ Porcine Rotavirus
- ☒ Pseudorabies Virus
- ☒ Transmissible Gastroenteritis (TGE)
- ☒ Vaccinia virus

General Sanitizing Efficacy

- ☒ Campylobacter jejuni
- ☒ Escherichia coli O157:H7
- ☒ Listeria monocytogenes
- ☒ Proteus mirabilis
- ☒ Salmonella choleraesuis
- ☒ Staphylococcus aureus
- ☒ Staphylococcus aureus (*Methicillin resistant-MRSA*)
- ☒ Yersinia enterocolitica